



Style and simplicity for residential streets, parks, pathways and building surrounds

URBAN LIGHTING MADE SIMPLE

WITH ADJUSTABLE LUMEN OUTPUT AND EASY INSTALLATION

Thorn's Nella is a great value LED post-top lantern designed for applications including residential streets, pathways and building surrounds. Featuring a contemporary design that will look attractive in urban areas, Nella is respectful of the environment with a 3000 K colour temperature and no upward light (ULOR < 1%).

A simplified manual dimming switch enables a choice of four lumen settings during installation. Reinforcing the easy setup, the casing has a tool-free opening and is pre-wired.



Parks, promenades and pathways



Residential streets



Building surrounds

A CHOICE OF TWO OPTICS:

Symmetrical (RS)

90° 300-200-100

60°

30°


30°

Rotational

90° 450-300-150 60° 30° 30°

Asymmetrical


Street (STR-A)



NELLA



71mm diameter to fit 60 mm diameter pole





	3000 К
	Up to 3600 lm RS optic, Up to 3300 lm STR-A optic
Ø	Up to 120 lm/W
CRI	70
ULOR	<1%
80	IP66
	–30 °C to 50 °C
>	IK08
(Corrosion resistant (C3)
	70 000 h L80B20 @25 °C
R	Rotational Symmetrical (RS), Asymmetrical Street (STR-A)
***	T60, mount at 3 – 4.5 m height, pre-wired 4 m Tool-free access for maintenance
W	Texturised Anthracite (ANT)
4	10 kV, Surge protection device









As a globally leading luminaire manufacturer, Thorn Lighting provides a five-year warranty for its complete product range within all European Countries. thornlighting.com/guarantee

 $Thorn\ Lighting\ is\ constantly\ developing\ and\ improving\ its\ products.\ All\ descriptions,\ illustrations,\ drawings$ and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated. 06/2024 (INT)

Manual switch dim 30%/50%/75%/100%

